



CorePro LEDspot MV



Corepro LEDspot 3.5-35W GU10 830 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. These GU10 LED spot lights are compatible with most existing fixtures with a GU10 LED base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance costs.

Product data

General Information	
Cap-Base	GU10 [GU10]
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Narrow Cone
CE mark	Yes
EU RoHS compliant	Yes
Light Technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	36 degree(s)
Luminous Flux	265 lumen
Luminous Intensity (Nom)	565 cd
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	75.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	265 lumen
Flickering value (PstLM)	1

Stroboscopic effect value (SVM)	0.4
Photobiological safety according to EN 62471	RG1
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	3.5 W
Lamp Current (Nom)	32 mA
Wattage Equivalent	35 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	65 °C
Controls and Dimming	
Dimmable	No

CorePro LEDspot MV

Mechanical and Housing

Bulb Shape	PAR16 [PAR 2 inch/50mm]
------------	-------------------------

Approval and Application


Energy Efficiency Class	F
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	4 kWh
EPREL Registration Number	391856
EyeComfort	Yes

Product Data

Full product code	871869672833800
-------------------	-----------------



Order product name	Corepro LEDspot 3.5-35W GU10 830 36D
Order code	929001217902
Local order code	CLED3.5GU/36830
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001217902
Full product name	Corepro LEDspot 3.5-35W GU10 830 36D
EAN/UPC - Case	8718696728345
Local code description	CLED3.5GU/36830 ЛАМΠ. LED
EAN/UPC - Product/Case	8718696728338

Dimensional drawing



Product	D	C
Corepro LEDspot 3.5-35W GU10 830 36D	50 mm	54 mm

Photometric data




Spectral Power Distribution Colour

Accent Lighting Spots - Corepro LEDspot 3.5-35W GU10 830 36D


CorePro LEDspot MV

Photometric data




Light Distribution Diagram - Corepro LEDspot 3.5-35W GU10 830 36D

Lifetime



Life Expectancy Diagram - Corepro LEDspot 3.5-35W GU10 830 36D



Lumen Maintenance Diagram - Corepro LEDspot 3.5-35W GU10 830 36D

